Built-in
Kitchen Appliances

Helvetora





FASHION
SIMPLE
DESIGN

Kitchen Appliances
2025

foucus on
BUILT-IN
KITCHEN APPLIANCES
18 year

BUILT-IN
Microwave
STEAMER
Dishwasher
Coffee Machine
HOB
HOOD
Disinfection Cabinet
WINE Cooler
OVEN
Water Dispenser
Refrigerator
Warming Drawer

Built-in
Kitchen Appliances

DOWNAIR HOOD INDUCTION COOKTOP



DOWNAIR HOOD COOKTOP
AT-YD600G-C



DOWNAIR HOOD COOKTOP
AT-YD720G-C



DOWNAIR HOOD COOKTOP
AT-YD770G-C



DOWNAIR HOOD COOKTOP
AT-YD900G-C

Downdraft Hood




DOWN DRAFT HOOD
AT-Y1200S-A



DOWN DRAFT HOOD
AT-Y880S-A

Island Hood



ISLAND HOOD
AT-Y1800S-B



ISLAND HOOD
AT-Y608S



ISLAND HOOD
AT-Y380S-B

Chimney Hood



CHIMNEY HOOD
AT-Y900A-W



CHIMNEY HOOD
AT-Y800G-R



CHIMNEY HOOD
AT-Y303S



CHIMNEY HOOD
AT-Y450S-ST

Built-in Hood



BUILT-IN HOOD
AT-Y770G



BUILT-IN HOOD
AT-Y700S-3



BUILT-IN HOOD
AT-Y700S-3



TELESCOPIC HOOD
AT-Y600S-TLS



TELESCOPIC HOOD
AT-Y600S



TELESCOPIC HOOD
AT-Y600S-N

Chimney Hood Big Airflow



CHIMNEY HOOD
AT-Y1200T-C



CHIMNEY HOOD
AT-Y900T-C



CHIMNEY HOOD
AT-Y600G-B



CHIMNEY HOOD
CXW-220-TKTR



CHIMNEY HOOD
AT-Y1200G(1.2W)



CHIMNEY HOOD
AT-Y1200G(0.9W)




CHIMNEY HOOD
AT-Y1200G(1.2B)



CHIMNEY HOOD
AT-Y1200G(0.9B)

Ceramic /Induction COOKTOP



CERAMIC COOKTOP
AT-T168W



CERAMIC COOKTOP
AT-T228W



CERAMIC COOKTOP
AT-T109W-C



INDUCTION COOKTOP
AT-D900W-C



INDUCTION COOKTOP
AT-D238W-A



INDUCTION COOKTOP
AT-D118W-A



INDUCTION COOKTOP
AT-D138W-A



INDUCTION COOKTOP
AT-D109W-C



INDUCTION&CERAMIC COOKTOP
AT-DT530W



INDUCTION&CERAMIC COOKTOP
AT-DT128W

Built-in
Kitchen Appliances


Microwave Oven



MICROWAVE OVEN
AT-W668S



MICROWAVE OVEN
AT-W666S



MICROWAVE OVEN
AT-W368S

Steam Oven



STEAMER & OVEN
AT-ZK455S-C



STEAMER & OVEN
AT-ZK388S-C



STEAMER
AT-Z388S-C



OVEN
AT-K338S-C

Oven | Steamer & Oven Combi | WATER DISPENSER | Warming Drawer



OVEN
AT-K900S-G



Steamer & Oven Combi
AT-ZK595G-B



WATER DISPENSER
AT-S668G-B



WARMING DRAWER
AT-H300G



OVEN
AT-K268S-2



OVEN
AT-K128S-B



OVEN
AT-K128S-W



OVEN
AT-K338S-G(GG)

GAS COOKTOP



GAS COOKTOP
AT-R5-2G-B



GAS COOKTOP
AT-R5-2G-W



GAS COOKTOP
AT-R4G-B



GAS COOKTOP
AT-R2G-B



GAS COOKTOP
AT-R5S-C



GAS COOKTOP
N.G.: JZT-R4S



GAS COOKTOP
N.G.:JZT-R3GB
LPG:JZY-R3GB



GAS COOKTOP
N.G.:JZT-R2GB
LPG:JZY-R2GB



GAS COOKTOP
N.G.:JZT-R1GB
LPG:JZY-R1GB

Refrigerator



Built-in Freezer
AT-B668S-L



Built-in Fridge
AT-B668S-R



REFRIGERATOR
AT-B668S



REFRIGERATOR
AT-B368S



FREEZER
AT-B185S-L



FRIDGE
AT-B185S-R



With Ice Maker
DRAWER FREEZER
AT-B825S-LD

WINE COOLER



Built-in Wine Cooler
AT-J178G-D



WINE COOLER
AT-J54G-C



WINE COOLER
AT-J18G-C

Dishwasher



DISHWASHER
AT-XW600S-P



DISHWASHER
AT-XW455S-F



DISHWASHER
AT-XW775S-F

CONTENTS






DOWNDRAFT HOOD DESIGN



DOWN DRAFT HOOD **AT-Y880S-A**

Finish	
Material	Paint Black Surface + Tempered Glass
Features	
Air Flow	1000m³/hr
Motor Power	AC340W
Lighting	LED1*4W
Control	Slide/Sensor Touch Control 4 Level Touch With Turbo Function
Filter	2
Air Qutlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging Dimension(mm)	915x475x810
Gross Weight(kg)	28.5
Hood Type	
Downdraft	Automatically Raises



CUT SIZE:
W855*D95mm




DOWNDRAFT HOOD DESIGN



DOWN DRAFT HOOD **AT-Y1200S-A**


Finish	
Material	Paint Black Surface + Tempered Glass
Features	
Air Flow	1000m³/hr
Motor Power	AC340W
Lighting	LED 2*3W
Control	Slide/Sensor Touch Control 4 Level Touch With Turbo Function
Filter	2
Air Qutlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging Dimension(mm)	1350x475x950
Gross Weight(kg)	45
Hood Type	
Downdraft	Automatically Raises





CUT SIZE:
W1180*D95 mm

DOWNAIR HOOD
INDUCTION COOKTOP
DESIGN



DOWNAIR HOOD COOKTOP AT-YD600G-C

Finish	
Material	France EuroKera Black Vitro Ceramic Top


Features	
Air Flow	750m³/hr
Motor Power	DC 120w
Control	8 Speed Electric Button Control
Filter	Oil Cup & Aluminum Filter
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide/Sensor Touch Control
Fire Power	8 Level
Child Safety Lock	Yes
Boost function	Boost to :2.8kw/2.8kw/2kw/2kw

Rated Power
2.8kw,2.8kw,1.8kw,1.8kw


Optional Accessories (Re-Circulating)	
Carbon Filter	Yes

Packing	
Packaging dimension(mm)	716x683x410
Gross weight(kg)	35

Hood type
Re-Circulating DownAir



CUT SIZE:
W572*D491mm



DOWNAIR HOOD COOKTOP AT-YD720G-C

Finish	
Material	Black Vitro Ceramic Top


Features	
Air Flow	750m³/hr
Motor Power	DC 120w
Control	8 Speed Electric Button Control
Filter	Oil Cup & Aluminum Filter
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide/Sensor Touch Control
Fire Power	8 Level
Child Safety Lock	Yes
Boost function	Boost to :2.8kw/2.8kw/2kw/2kw

Rated Power
2.8kw,2.8kw,1.8kw,1.8kw


Optional Accessories (Re-Circulating)	
Carbon Filter	Yes

Packing	
Packaging dimension(mm)	842x685x410
Gross weight(kg)	28

Hood type
Re-Circulating DownAir



CUT SIZE:
W572*D491mm



DOWNAIR HOOD COOKTOP AT-YD770G-C

Finish	
Material	Black Vitro Ceramic Top


Features	
Air Flow	750m³/hr
Motor Power	DC 120w
Control	8 Speed Electric Button Control
Filter	Oil Cup & Aluminum Filter
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide/Sensor Touch Control
Fire Power	8 Level
Child Safety Lock	Yes
Boost function	Boost to :2.8kw/2.8kw/2kw/2kw

Rated Power
2.8kw,2.8kw,1.8kw,1.8kw


Optional Accessories (Re-Circulating)	
Carbon Filter	Yes

Packing	
Packaging dimension(mm)	896x683x435
Gross weight(kg)	29

Hood type
Re-Circulating DownAir



CUT SIZE:
W751*D491mm



DOWNAIR HOOD COOKTOP AT-YD900G-C

Finish	
Material	Black Vitro Ceramic Top


Features	
Air Flow	750m³/hr
Motor Power	DC 120w
Control	8 Speed Electric Button Control
Filter	Oil Cup & Aluminum Filter
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide/Sensor Touch Control
Fire Power	8 Level
Child Safety Lock	Yes
Boost function	Boost to :2.8kw/2.8kw/2kw/2kw

Rated Power
2.8kw,2.8kw,1.8kw,1.8kw

Optional Accessories (Re-Circulating)	
Carbon Filter	Yes

Packing	
Packaging dimension(mm)	1065x682x472
Gross weight(kg)	31

Hood type
Re-Circulating DownAir




CUT SIZE:
W751*D491mm



ISLAND HOOD
1800 LENGTH


DESIGN



ISLAND HOOD **AT-Y1800S-B**

Finish	
Material	Paint Black Surface
Features	
Air Flow	750m³/hr
Motor Power	DC185W
Lighting	LED 4*3w
Control	3 Speed Android/Eectric Btton Cntrol
Filter	Aluminum Filter x 2
Air Outlet	150
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging dimension(mm)	2200*600*400
Gross weight(kg)	45
Hood type	
	ISLAND










ISLAND HOOD **AT-Y608S**

Finish	
Material	Artificial Stone & Stainless Steel
Features	
Air Flow	750m³/hr
Motor Power	210w
Lighting	LED 4*3w+2*1.5w
Control	3 Speed Android/Eectric Btton Cntrol
Filter	Aluminum Filter x 2
Air Outlet	without
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging dimension(mm)	960x570x390 790x380x40
Gross weight(kg)	45/10
Hood type	
ISLAND	Patent Product




BLACK
SIMPLE
DESIGN



ISLAND HOOD **AT-Y380S-B**

Finish	
Material	Paint Black Surface
Features	
Air Flow	750m³/hr
Motor Power	210w
Lighting	LED 3*3w
Control	3 Speed Eectric Btton Cntrol
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	option
Packing	
Packaging dimension(mm)	955x460x470
Gross weight(kg)	24
Hood type	
ISLAND	










CHIMNEY HOOD **AT-Y900A-W**

Finish	
Material	Stainless Steel + White Tempered Glass
Features	
Air Flow	1000m³/hr
Motor Power	250w
Lighting	LED 2*2W
Control	3 Speed Electric Touch Control & Remote
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	945*515*650
Gross weight(kg)	33
Hood type	
Wall Mounted	Auto-Opening






TAI CHI
CIRCLE
DESIGN



CHIMNEY HOOD **AT-Y800G-R**

Finish	
Material	Stainless Steel+Black Tempered Glass
Features	
Air Flow	750m³/hr
Motor Power	300W
Lighting	LED 2*2W
Control	5 Speed Touch Control
Filter	Aluminum Filter x 2
Air Qutlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging Dimension(mm)	875x822x575
Gross Weight(kg)	28
Hood Type	
Wall Mounted	






350 DEPTH
MAX AIR FLOW
HOOD
DESIGN



CHIMNEY HOOD **AT-Y450S-ST**

Finish	
Material	Stone Painted
Features	
Air Flow	750m³/hr
Motor Power	210w
Lighting	LED 2*1.5w
Control	3 Speed Electric Button Control
Filter	Aluminum Filter x 1
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	515x420x623
Gross weight(kg)	20
Hood type	
Wall Mounted	








CHIMNEY HOOD **AT-Y303S**

Finish	
Material	Stainless Steel+Tempered Glass
Features	
Air Flow	750m³/hr
Motor Power	210w
Lighting	LED 2*1.5w
Control	3 Speed Touch Control
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	955x435x555
Gross weight(kg)	18.5
Hood type	
Wall Mounted	








BUILT-IN
HOOD
DESIGN



BUILT-IN HOOD **AT-Y770G**

Finish	
Material	Black Temperature Glass + Stainless Steel
Features	
Air Flow	750m³/hr
Motor Power	DC110W
Lighting	LED2x3W
Control	Remote Control
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	825x407x389
Gross weight(kg)	13
Hood type	
Built-in	






TELESCOPIC
MAX AIR FLOW
HOOD
DESIGN



TELESCOPIC HOOD **AT-Y600S-TLS**


Finish	
Material	Spraying +Black Tempered Glass
Features	
Air Flow	750m³/hr
Motor Power	150W
Lighting	Multi SMD LED light 2 x 1.5W
Control	3 Speed Touch Control
Filter	Aluminum Filter x 2
Air Qutlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging Dimension(mm)	690*530*400
Gross Weight(kg)	18
Hood Type	
Wall Mounted	





BUILT-IN HOOD **AT-Y700S-3**

Finish	
Material	Stainless Steel
Features	
Air Flow	750m³/hr
Motor Power	190w
Lighting	LED 2x1.5w
Control	3 Speed Electric Button
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	745x340x325
Gross weight(kg)	8
Hood type	
Built-in	








TELESCOPIC HOOD **AT-Y600S**


Finish	
Material	Brushed Model
Features	
Air Flow	750m³/hr
Motor Power	190w
Lighting	LED 2 x 1w
Control	2 Speed Mechanical Control
Filter	Aluminum Filter x 2
Air Outlet	150mm
Optional Accessories (Re-Circulating)	
Carbon Filter	Option
Packing	
Packaging dimension(mm)	650x250x400
Gross weight(kg)	13.5
Hood type	
Telescopic	





TELESCOPIC HOOD **AT-Y600S-N**

Finish	
Material	Brushed Model
Features	
Air Flow	440m³/hr
Motor Power	2x100w
Lighting	Lamp 2 x 40w
Control	2 Speed Mechanical Control
Filter	Aluminum Filter x 2
Air Outlet	No
Optional Accessories (Re-Circulating)	
Carbon Filter	Yes
Packing	
Packaging dimension(mm)	645x225x360
Gross weight(kg)	8.5
Hood type	
Telescopic	








CHIMNEY HOOD **AT-Y1200T-C**

Finish	
Material	Spraying+Black Tempered Glass
Features	
Air Flow	1260m³/hr
Motor Power	250W
Lighting	LED 3 x 1.5W
Control	9 Speed Touch Control
Filter	PATENT Aluminum Filter x 3
Air Qutlet	180mm
Optional Accessories (Re-Circulating)	
Carbon Filter	No
Packing	
Packaging Dimension(mm)	1250*505*920
Gross Weight(kg)	39
Hood Type	
Wall Mounted	










CHIMNEY HOOD **CXW-318-MDBB**

Finish	
Material	Spraying Black
Features	
Air Flow	1260m³/hr
Motor Power	250W
Lighting	LED 1*2W
Control	Remote Touch Control
Filter	Metal Filter x 3
Air Qutlet	180mm
Optional Accessories (Re-Circulating)	
Carbon Filter	No
Packing	
Packaging Dimension(mm)	980*710*610
Gross Weight(kg)	26
Hood Type	
Wall Mounted	









350 DEPTH
MAX AIR FLOW
HOOD

DESIGN



CHIMNEY HOOD AT-Y900T-C


Finish	
Material	Stainless Steel+Black Tempered Glass

Features	
Air Flow	1140m³/hr
Motor Power	318W
Lighting	LED 1*2W
Control	3 Speed Touch Control
Filter	Stainless Steel Filter x 2
Air Qutlet	180mm

Optional Accessories (Re-Circulating)	
Carbon Filter	No

Packing	
Packaging Dimension(mm)	980x710x610
Gross Weight(kg)	23

Hood Type
Wall Mounted





CHIMNEY HOOD AT-Y600G-B


Finish	
Material	Stainless Steel+Black Tempered Glass

Features	
Air Flow	900m³/hr
Motor Power	203W
Lighting	LED 1.5W*2
Control	3 Speed Touch Control
Filter	AL Filter x 2
Air Qutlet	150mm

Optional Accessories (Re-Circulating)	
Carbon Filter	Option

Packing	
Packaging Dimension(mm)	650x450x395
Gross Weight(kg)	19

Hood Type
Wall Mounted





CHIMNEY HOOD

CXW-220-TKTR

Finish	
Material	Stainless Steel+Black Tempered Glass
Features	
Air Flow	1140m³/hr
Motor Power	220W
Lighting	LED 1*2W
Control	3 Speed Touch Control
Filter	Stainless Steel Filter
Air Qutlet	170mm
Optional Accessories (Re-Circulating)	
Carbon Filter	No
Packing	
Packaging Dimension(mm)	980x710x610
Gross Weight(kg)	26
Hood Type	
Wall Mounted	

EXCELLENT TECHNOLOGY






EXCELLENT TECHNOLOGY



PATENT OIL FILTER



MAX AIR FLOW
HOOD
DESIGN






CHIMNEY HOOD

AT-Y1200G(1.2W)
AT-Y1200G(1.2B)

Finish	
Material	Paint White + White Temperature Glass
Features	
Air Flow	1560m³/hr
Motor Power	270W
Lighting	2W
Control	3 Speed Mechanical Control
Filter	OIL Aluminum Filter x 3
Air Outlet	200mm
Optional Accessories (Re-Circulating)	
Carbon Filter	NO
Packing	
Packaging dimension(mm)	1350x450*980
Gross weight(kg)	70
Hood type	
	Automatically Raises






CHIMNEY HOOD


AT-Y1200G(0.9W)
AT-Y1200G(0.9B)

Finish	
Material	Paint Black + Black Temperature Glass
Features	
Air Flow	1560m³/hr
Motor Power	270W
Lighting	2W
Control	3 Speed Mechanical Control
Filter	OIL Aluminum Filter x 2
Air Outlet	200mm
Optional Accessories (Re-Circulating)	
Carbon Filter	NO
Packing	
Packaging dimension(mm)	950x450*980
Gross weight(kg)	60
Hood type	
	Automatically Raises






HOB
COMBI
DESIGN



CERAMIC COOKTOP **AT-T168W**


Finish	
Material	Black Vitro Ceramic Top
Features	
Total Power	6000W
Heating Elements	Heating Unit*4
Display	Two Digital 2
Control	Sensor Touch Control
Cooking Type	Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
1.2kw,1.8kw,1.8kw,1.2kw	
Packing	
Packaging dimension(mm)	580x640x160
Gross weight(kg)	11
Installation Type	
Built-in or Freestanding	






CERAMIC COOKTOP **AT-T228W**


Finish	
Material	Black Vitro Ceramic Top
Features	
Total Power	3000W
Heating Elements	Heating Unit*2
Display	Two Digital 2
Control	Sensor Touch Control
Cooking Type	Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
1.8kw,1.2kw	
Packing	
Packaging dimension(mm)	160x580x360
Gross weight(kg)	6.5
Installation Type	
Built-in or Freestanding	






Induction COOKTOP **AT-D900W-C**


Finish	
Material	Black Vitro Ceramic Top
Features	
Total Power	7200W
Heating Elements	Induction Hobx5
Display	Two Digital
Control	Slide Sensor Touch Control
Cooking Type	9 Level induction Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
	2.7kw,2.2kw,2.2kw,1.5kw,1.5kw
Packing	
Packaging dimension(mm)	1050x600x160
Gross weight(kg)	13
Installation Type	
Built-in or Freestanding	Boost Function




Induction COOKTOP **AT-D238W-A**

Finish	
Material	France Euro-Kera Black Vitro Ceramic Top
Features	
Total Power	8200W
Heating Elements	Induction Hobx4
Display	Two Digital
Control	Slide Sensor Touch Control
Cooking Type	9 Level induction Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
	1.8kw,1.8kw,2.8kw,1.8kw
Packing	
Packaging dimension(mm)	960x450x160
Gross weight(kg)	13
Installation Type	
Built-in or Freestanding	Boost Function








Induction COOKTOP **AT-D118W-A**


Finish	
Material	Black Vitro Ceramic Top
Features	
Total Power	7200W
Heating Elements	Induction Hobx4
Display	Two Digital
Contro	Sensor Touch Control
Fire Power	9 Level
Child Safety Lock	Yes
Overheating Protecto	Yes
Rated Power	
	1.6kw,2.0kw,2.0kw,1.6kw
Packing	
Packaging dimension(mm)	670x610x130
Gross weight(kg)	13
Installation Type	
Built-in or Freestanding	Boost Function




Induction COOKTOP **AT-D138W-A**


Finish	
Material	Black Vitro Ceramic Top
Features	
Total Power	3600W
Heating Elements	Induction Hobx2
Display	Two Digital
Contro	Sensor Touch Control
Fire Power	9 Level
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
	2.0kw,1.6kw
Packing	
Packaging dimension(mm)	610x370x120
Gross weight(kg)	11
Installation Type	
Built-in	Boost Function















CERAMIC/INDUCTION COOKTOP **AT-DT128W**

Finish	
Material	GERMAN SCHOTT Black Vitro Ceramic Top
Features	
Total Power	5600W
Heating Elements	Induction Hob*1+heating unit*1
Display	Two Digital
Control	Sensor Touch Control
Fire Power	9 Level
Cooking Type	Induction & Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes
Rated Power	
2.8kw,2.8kw	
Packing	
Packaging dimension(mm)	490x790x120
Gross weight(kg)	11
Installation Type	
Built-in Or Freestanding	





CERAMINC/INDUCTION COOKTOP **AT-DT530W**


Finish	
Material	GERMAN SCHOTT Black Vitro Ceramic Top


Features	
Total Power	6200W
Heating Elements	induction hob*2+Ceramic Hob*1
Control	Sensor Touch Control
Fire Power	9
Cooking Type	Induction & Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes

Rated Power
Induction hob 2.2kw,1.8kw,E.G.O. heating hob 2.2kw

Packing	
Packaging Dimension(mm)	670x610x130
Gross Weight(kg)	13

Installation Type
Built-in






INDUCTION COOKTOP **AT-D109W-C**

Finish	
Material	GERMAN SCHOTT Black Vitro Ceramic Top

Features	
Total Power	2800W
Heating Elements	Induction Hob*1
Control	Sensor Touch Control
Fire Power	9
Cooking Type	Induction Hob
Child Safety Lock	Yes
Overheating Protector	Yes

Rated Power
2.8kw

Packing	
Packaging Dimension(mm)	565x355x145
Gross Weight(kg)	7.5






CERAMIC COOKTOP **AT-T109W-C**

Finish	
Material	GERMAN SCHOTT Black Vitro Ceramic Top

Features	
Total Power	2800W
Heating Elements	Ceramic Hob*1
Control	Sensor Touch Control
Cooking Type	Direct Heating
Child Safety Lock	Yes
Overheating Protector	Yes

Rated Power
2.8kw

Packing	
Packaging Dimension(mm)	565x355x145
Gross Weight(kg)	7.5





BLACK
SIMPLE
DESIGN


EUROSTYLE HOB


DESIGN



GAS COOKTOP **JZT-R4S**

Finish	
Material	#304 Stainless Steel
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
N.G.:5.0kw,5.0kw,1.8kw,1.5kw	
Packing	
Packaging dimension(mm)	920x580x200
Gross weight(kg)	25
Installation Type	
Built-in or Freestanding	








GAS COOKTOP AT-R5-2G-B


Finish	
Material	8mm Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:1.5kw,1.5kw,3.5kw,2.5kw,1.0kw	
Packing	
Packaging dimension(mm)	595x970x185
Gross weight(kg)	21
Installation Type	
Built-in or Freestanding	





GAS COOKTOP AT-R4G-B


Finish	
Material	8mm Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:3.5kw,1.5kw,1.5kw,1.0kw	
Packing	
Packaging dimension(mm)	700x595x185
Gross weight(kg)	14
Installation Type	
Built-in or Freestanding	





GAS COOKTOP AT-R2G-B

Finish	
Material	8mm Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:2.5kw,1.0kw	
Packing	
Packaging dimension(mm)	385x595x190
Gross weight(kg)	8
Installation Type	
Built-in or Freestanding	








GAS COOKTOP **AT-R5-2G-W**

Finish	
Material	8mm White Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
LPG:1.5kw,1.5kw,3.5kw,2.5kw,1.0kw	
Packing	
Packaging dimension(mm)	595x970x185
Gross weight(kg)	21
Installation Type	
Built-in or Freestanding	



STAINLESS
STEEL HOB
DESIGN



GAS COOKTOP

AT-R5S-C

Finish

Material	SUS304 Stainless Steel

Features

Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron

Rated Power


LPG:3.4kw,2.4kw,1.8kw,1.8kw,1.0kw

Packing

Packaging dimension(mm)	970x570x175
Gross weight(kg)	15

Installation Type


Built-in or Freestanding





GAS COOKTOP JZT-R3GB JZY-R3GB


Finish	
Material	Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
N.G.:5.0KW LPG:4.5KW	
Packing	
Packaging dimension(mm)	920*580*200
Gross weight(kg)	22
Installation Type	
Built-in or Freestanding	





GAS COOKTOP JZT-R1GB JZY-R1GB


Finish	
Material	Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
N.G.:5.0KW LPG:4.5KW	
Packing	
Packaging dimension(mm)	360*570*210
Gross weight(kg)	9
Installation Type	
Built-in or Freestanding	





GAS COOKTOP JZT-R2GB JZY-R2GB

Finish	
Material	Black Tempered Glass
Features	
Automatic Ignition	Battery
Safety Device	Orkli(Thermocouple)
Pan Support	Cast Iron
Rated Power	
N.G.:5.0KW LPG:4.5KW	
Packing	
Packaging dimension(mm)	840*520*220
Gross weight(kg)	18
Installation Type	
Built-in or Freestanding	







BUILT-IN
MICROWAVE
DESIGN




MICROWAVE OVEN **AT-W666S**

Finish	
Material	Black Temperature Glass

Features	
Capacity	23L
Power Microwave	1280W
Power Grill	1100W
Control	Electric Knob With LED
Interior Cavity	Stainless Steel
Exterior Cavity	Stainless Steel

Packing	
Packaging Dimension(mm)	660x445x455
Gross Weight(kg)	18.5



BUILT-IN
MICROWAVE
DESIGN




MICROWAVE OVEN AT-W668S

MICROWAVE OVEN


Finish	
Material	Stainless Steel+Temperature Glass

Features	
Capacity	25L
Power Microwave	1400W
Power Grill	1200W
Control	Electric Knob With LED
Interior Cavity	Stainless Steel
Exterior Cavity	Stainless Steel

Packing	
Packaging Dimension(mm)	660x445x455
Gross Weight(kg)	18.5



BUILT-IN
MICROWAVE
DESIGN




MICROWAVE OVEN **AT-W368S**

MICROWAVE OVEN

Finish	
Material	Stainless Steel+Temperature Glass

Features	
Capacity	25L
Power Microwave	1400W
Power Grill	1200W
Control	Electric Knob With LED
Interior Cavity	Stainless Steel
Exterior Cavity	Stainless Steel

Packing	
Packaging Dimension(mm)	660x445x455
Gross Weight(kg)	18.5






STEAMER
& OVEN COMBI
DESIGN



STEAM OVEN **AT-ZK455S-C**

Finish	
Material	Stainless Steel+ Black Temperature Glass
Features	
Capacity	45L
Function	15 Steamers & 10 Function Oven
	Steaming /Baking/Rear Convection/ Steaming/Convection/Ferment/Sterilize/Defrost
Total Power	2000W
Control	Electric Touch With LCD
Time	120min
Temperature Range	35-100℃/30-250℃
Oven Door	3
Child Safety Lock	Yes
Water Tank Capacity	1. 2L
Packing	
Packaging dimension(mm)	655x575x520
Gross weight(kg)	32.5
Installation Type	
Built-in	




COATING
STAINLESS STEEL
DESIGN



STEAMER **AT-Z338S-G**


Finish	
Material	Coating Stainless Steel Temperature Glass
Features	
Capacity	32L
Function	3
Total Power	2060W
Water Tank Capacity	1. 2L
Control	Soft Touch With LCD
Time	10hour
Temperature Range	40-100℃
Oven Door	Double
Child Safety Lock	Yes
Packing	
Packaging dimension(mm)	660x532x630
Gross weight(kg)	32
Installation Type	
Built-in	





OVEN **AT-K338S-G**

Finish	
Material	Coating Stainless Stee Temperature Glass
Features	
Capacity	43L
Function	8
Total Power	2300-2750W
Control	Electric Touch With LCD
Time	10hour
Temperature Range	20-250℃
Oven Door	3
Child Safety Lock	Yes
Packing	
Packaging dimension(mm)	700x540x690
Gross weight(kg)	32
Installation Type	
Built-in	






BUILT-IN
900 OVEN
DESIGN



OVEN **AT-K900S-G**

Finish	
Material	Coating Stainless Steel Temperature Glass
Features	
Capacity	100L
Power Total	2800W
Function	9
Control	Electric Knob with LED
Time	120min
Temperature Range	50~250°C
Oven Door	3
Child Safety Lock	Yes
Packing	
Packaging Dimension(mm)	955x650x530
Gross Weight(kg)	45
Installation Type	
Built-in	






BUILT-IN
OVEN
DESIGN



STEAMER & OVEN COMBI **AT-ZK595G-B**

Finish	
Material	Black Temperature Glass
Features	
Capacity	82L
Function	31
Total Power	2000W
Control	Electric Touch With TFT
Time	24hour
Temperature	Steamer 35-110˚C OVEN 35-230˚C
Oven Door	3
Child Safety Lock	Yes
Packing	
Packaging dimension(mm)	645x645x645
Gross weight(kg)	45
Installation Type	
Built-in	






STEAM OVEN AT-ZK388S-C

Finish	
Material	Black Temperature Glass

Features	
Capacity	56L
Function	12
Steaming /Baking/Rear Convection/ Steaming/Convection/Ferment/Sterilize/Defrost	
Total Power	2100W(800+1300)
Control	Electric Touch With LCD
Time	180min
Temperature Range	50-250℃/40-250℃
Oven Door	Double
Child Safety Lock	Yes
Water Tank Capacity	1. 3L

Packing	
Packaging dimension(mm)	540x670x670
Gross weight(kg)	34

Installation Type	
Built-in	





OVEN AT-K338S-G(GG)


Finish	
Material	Black Temperature Glass

Features	
Capacity	80L
Function	10
Total Power	3100W
Control	Electric Touch With LCD
Time	24hour
Temperature Range	40-250℃
Oven Door	3
Child Safety Lock	Yes

Packing	
Packaging dimension(mm)	650x680x655
Gross weight(kg)	35

Installation Type	
Built-in	Built-in






STAINLESS
STEEL OVEN
DESIGN



OVEN **AT-K268S-2**

Finish	
Material	Stainless Stee + Temperature Glass
Features	
Capacity	58L
Function	8
Total Power	2900W
Control	Mechanical Control
Time	120min
Temperature Range	50-250°C
Oven Door	2
Packing	
Packaging dimension(mm)	600x680x665
Gross weight(kg)	33
Installation Type	
Built-in	






BLACK
SIMPLE
DESIGN



OVEN AT-K128S-B

Finish	
Material	Temperature Glass
Features	
Capacity	58L
Function	8
Total Power	2900W
Control	Mechanical Control
Time	120min
Temperature Range	50-250°C
Oven Door	2
Packing	
Packaging dimension(mm)	600x680x665
Gross weight(kg)	33
Installation Type	
Built-in	








OVEN **AT-K128S-W**

Finish	
Material	White Temperature Glass
Features	
Capacity	58L
Function	5
Total Power	2300W
Control	Electric Button & Mechanical Control
Time	120min
Temperature Range	50~250°C
Oven Door	2
Packing	
Packaging dimension(mm)	655x680x665
Gross weight(kg)	33
Installation Type	
Built-in	






WHITE
SIMPLE
DESIGN

WARMING
DRAWER
DESIGN



WARMING DRAWER **AT-H300G**

Finish	
Material	Stainless Steel/black Tempered Glass
Features	
Capacity	30L
Total Power	515W
Control	Mechanical Control
Time	120min
Temperature Range	25-75°C
Packing	
Packaging dimension(mm)	645x640x200
Gross weight(kg)	16
Installation Type	
Built-in	



INTEGRAL
FREEZER
DESIGN



BUILT-IN FREEZER **AT-B668S-L**

Cavity	
Total	212L
Freezer Compartment	212L


Specifications
Electrical Temperature Control
Transparent Shelf
White Body
Reversing The Door(Left / Right)
Hinge System


Performance	
Energy efficiency class	E
Climate Type	N/ST
Noise level (dB)	41dB(A)
Refrigerant	R600a
Energy Consumption kWh/year	236

Packing	
Packaging dimension(mm)	580*585*1880
Gross weight(kg)	73

Installation Type	No Frost


Fully Integrated Built-in







Fridge/Freezer zone
Can be switched flexibly



Cabinet Door Size (mm):
W595-600*D18-25*H>1790 min
Cabinet Door require(mm):
With Hinge Thickness <16 max



BUILT-IN FRIDGE **AT-B668S-R**

Cavity

Total	304L
Fridge Compartment	304L

Specifications

Electrical Temperature Control
Transparent Shelf
White Body
Reversing The Door(Left / Right)
Hinge System

Performance


Energy efficiency class	E
Climate Type	N/ST
Noise level (dB)	41dB(A)
Refrigerant	R600a
Energy Consumption kWh/year	113


Packing


Packaging dimension(mm)	580*585*1880
Gross weight(kg)	65

Installation Type	No Frost

Fully Integrated Built-in







Cabinet Door Size (mm):
W595-600*D18-25*H＞1790 min
Cabinet Door require(mm):
With Hinge Thickness ＜16 max







FREEZER AT-B185S-L

Cavity	
Total	272L

Specifications

Electronic temperature control
External LED display
Sky powerful interior LED light
No Frost
Multi air flow system
Easy slide freezer drawers
DC centrifugal fan
Super freeeze / ECO function Door open alarm

Performance	
Energy efficiency class	F , E
Noise level (dB)	43dB(A)
Climate Type	SN N ST
Refrigerant	R600a

Packing	
Packaging dimension(mm)	640x735x1931
Gross weight(kg)	78

Installation Type
Built-in

FRIDGE AT-B185S-R

Cavity	
Total	355L


Specifications


Electronic temperature control
External LED display
Sky powerful interior LED light
No Frost
Multi air flow system
Easy slide freezer drawers
DC centrifugal fan
Large crisper drawer with humidity control
Big practical fresh box
Reversible door (slot in design)


Performance	
Energy efficiency class	F , E
Power cool / Holiday function	
Noise level (dB)	42dB(A)
Climate Type	SN N ST
Refrigerant	R600a

Packing	
Packaging dimension(mm)	640x690x1931
Gross weight(kg)	70

Installation Type
Built-in









UPRIGHT
REFRIGERATOR
DESIGN



INTEGRAL
REFRIGERATOR
DESIGN



REFRIGERATOR **AT-B668S**


Cavity	
Total	275L
Upper Fridge Compartment	205L
Bottom Freezer Compartment	56L


Specifications
Electrical Temperature Control
Clear Shelf
White Body
Reversing The Door(Left / Right)

Performance	
Energy efficiency class	A+
Climate Type	N/ST
Noise level (dB)	41dB(A)
Refrigerant	R600a
Energy Consumption kWh/year	367

Packing	
Packaging dimension(mm)	573x574x1838
Gross weight(kg)	70

Installation Type
Fully Integrated Built-in







INTEGRAL
REFRIGERATOR
DESIGN



REFRIGERATOR **AT-B368S**


Cavity	
Total	118L
Fridge Compartment	100L
Freezer Compartment	17L

Specifications
Electrical Temperature Control
Pale Green Shelf
White Body
Reversing The Door(Left / Right)
Hinge System（Italy）

Performance	
Energy efficiency class	A+
Climate Type	N/ST
Noise level (dB)	40dB(A)
Refrigerant	R600a
Energy Consumption kWh/year	175

Packing	
Packaging dimension(mm)	600x650x880
Gross weight(kg)	35

Installation Type
Fully Integrated Built-in



FREEZER
DRAWER
DESIGN




DRAWER FREEZER **AT-B825S-LD**

Surface	
Material	#304 Stainless Steel

Specifications	
Electric Control With LED	
Capacity	
LED	
No Frost	
Cooling System By Compressor	
Double Zone	
Temperature Range	0~-18°C
Energy efficiency class	A
Noise level (dB)	43dB(A)
Climate Type	SN/N
Refrigerant	R600a
Power	100W
Humidity	>60%RH

Packing	
Packaging dimension(mm)	660x625x881
Gross weight(kg)	65
Installation Type	With Ice Maker

Built-in



INTEGRAL
WINE COOLER
DESIGN



BUILT-IN WINE COOLER **AT-J178G-D**

Cavity	
Total	216L
Bottles	70


Specifications	
Electric Control With White Led	
Reversing The Door(Left / Right)	
White LED	
No Frost	
Cooling System By Compressor	
Triple zone	5-18°C/5-10°C/10-18°C
Hinge System（Italy）	


Performance	
Energy efficiency class	G
Noise level (dB)	39dB(A)
Climate Type	N/ST
Refrigerant	R600a
Energy Consumption kWh/year	174

Packing	
Packaging dimension(mm)	655x1880x660
Gross weight(kg)	118

Installation Type	No Frost

Fully Integrated Built-in





Ventilation

Cabinet Door Size (mm):
W592-600*D18-25*H>1780 min
Cabinet Door require(mm):
Without Hinge CUT





BUILT-IN WINE COOLER **AT-J18G-C**


Surface	
Material	Temperature Glass

Specifications	
Electric Control With White Led	
Bottles	18
White LED	
Direct No Frost	
Cooling System By Compressor	
Single Zone	
Temperature Range	3-22°C
Energy efficiency class	A
Noise level (dB)	43dB(A)
Climate Type	SN/N
Refrigerant	R600a
Power	60W
Humidity	>60%RH

Packing	
Packaging dimension(mm)	660X660X540
Gross weight(kg)	34

Installation Type

Built-in



BUILT-IN
WINE COOLER
DESIGN



INTEGRAL
WINE COOLER
DESIGN




BUILT-IN WINE COOLER **AT-J54G-C**

Surface	
Material	Temperature Glass

Specifications	
Electric Control With White Led	
Bottles	40
LED	
No Frost	
Cooling System By Compressor	
Double Zone	
Temperature Range	3-22°C
Energy efficiency class	A
Noise level (dB)	43dB(A)
Climate Type	SN/N
Refrigerant	R600a
Power	100W
Humidity	>60%RH

Packing	
Packaging dimension(mm)	970x610x580
Gross weight(kg)	65

Installation Type
Built-in



INTEGRAL
DISHWASHER
DESIGN



DISHWASHER **AT-XW600S-P**


Programmes	4
Intensive/Economy/Rapid/3 in 1	

Specifications	
12 Place Setting	
Electric Control	
Grey Baskets	

Specifications	
Energy efficiency class	A+
Washing/Drying performance class	A
Noise level (dB)	55dB(A)
Power	1930W
Water consumption (lt)	12L

Packing	
Packaging dimension(mm)	635x620x885
Gross weight(kg)	42.5

Installation Type
Fully Integrated Built-in



Door Size:
W600*H720*D18-22 mm





DISHWASHER **AT-XW455S-F**

Programmes 6

Intensive/Normal/Economy/Rapid/90minGlass

ECO

Specifications

12 Place Setting
Electric Control
Grey Baskets

Specifications

Energy efficiency class	A+
Washing/Drying performance class	A
Noise level (dB)	49dB(A)
Power	1280W
Water consumption (lt)	6.5L


Packing


Packaging dimension(mm)	635x620x885
Gross weight(kg)	42.5

Installation Type


Fully Integrated Built-in

INTEGRAL DISHWASHER DESIGN





Body Size：W550*H452*D518
Cut Size：W560*H458*D550
Door Size：W590*H480*D20



INTEGRAL
DISHWASHER
DESIGN



DISHWASHER **AT-XW775S-F**

Programmes	8

Specifications

17 Place Setting
Electric Control
Grey Baskets

Specifications


Energy efficiency class	A+
Washing/Drying performance class	
Noise level (dB)	55dB(A)
Power	1930W
Water consumption (lt)	12L

Packing

Packaging dimension(mm)	635x620x885
Gross weight(kg)	42.5


Installation Type

Fully Integrated Built-in





Delayed Time Function
Automatically Open And Closed The Door
Keep Dry For 96 Hours
Children Lock





WATER
DISPENSER
DESIGN




WATER DISPENSER **AT-S668G-B**

Finish	
Material	Black Temperature Glass

Features	
Water Type	Direct Heating/Cold
Power	3000W
Control	Soft Touch With LCD Display
Insert	Running Water

Performance	
Packaging dimension(mm)	680*490*540
Gross weight(kg)	24

Installation Type
Built-in





WATER DISPENSER **AT-S668G-M**
WITH ICE MAKER

Finish	
Material	Black Temperature Glass

Features	
Water Type	Direct Heating/Cold
Power	3000W
Control	Soft Touch With LCD Display
Insert	Running Water
ICE MAKER FUNCTION	YES

Performance	
Packaging dimension(mm)	680*490*540
Gross weight(kg)	29

Installation Type
Built-in

